



FOCAL POINT

The Art of Architecture™

BLADE & TABLE ANGLE GUIDE (2 of 2)

Please read and follow all instructions carefully

Note:

All table and blade angle degrees are based on the use of a power miter saw. Mouldings should be cut face up unless otherwise noted. These angles are assuming 90° corners are available when installing.

Number	Repeat	Depth	Projection	Table Angle°	Blade Angle°
11900	–	6”	5”	32.5°	33.9°
13000*	7/16”	6 3/4”	5 1/2”	32.5°	32.5°
13010*	5”	8”	8”	Build Miter Box	
13020*	3”	7 1/2”	8 1/2”	Build Miter Box	
13070	2 1/2”	4 3/4”	4”	32.7°	32.8°
13200	–	4 7/16”	2 1/4”	20.2°	42.0°
13210	10 5/8”	5 3/4”	2 5/8”	6.0°	45.5°
13220	9 5/8”	6 3/8”	8 1/8”	42.5°	17.0°
13230	4 13/16”	4 1/2”	3 7/8”	32.5°	33.0°
13240	4 3/4”	6 15/16”	2 13/16	32.3°	33.0°
13250	–	5 5/8”	6 7/8”	43.5°	15.0°
13260	9 3/8”	5 1/2”	5 “	40.0°	22.5°
13270	2 5/8”	2 3/4”	2 3/4”	36.0°	30.0°
13280	5 1/4”	6 5/16”	2 3/4”	32.1°	33.0°
14010	–	2”	2”	35.3°	30.0°
14050	2 5/16”	3 1/4”	2 1/2”	31.6°	33.9°
16300*	–	7 1/4”	8 7/16”	Build Miter Box	
16310	–	8 1/2”	7 1/8”	32.7°	32.8°
16320*	1 1/8”	7 5/8”	6 1/4”	36.0°	29.0°
16330*	1 5/8”	6 5/8”	7”	38.0°	26.0°
16340*	4 1/4”	7 1/4”	8 5/16”	Build Miter Box	
16350*	–	4 1/4”	5 1/16”	43.0°	13.5°
16360	–	5”	4 1/4”	32.7°	32.8°
16370*	3/4”	4 13/16”	3 13/32”	41.0°	27.0°
16380*	1”	3 7/8”	4 3/16”	40.0°	22.0°
16390*	2 1/2”	4 1/2”	5”	37.0°	26.5°
16600-8	4 1/2”	3 9/16”	3 15/16”	41.1°	20°
16610-8	5 5/8”	4 7/8”	5 9/16”	41.7°	18°
19210*	8 1/4”	4 1/2”	6”	36.0°	30.0°
19220*	28 5/8”	4 3/4”	7 1/8”	Build Miter Box	
19230*	6”	4”	6 1/8”	Build Miter Box	
19240*	10 3/8”	4 3/4”	7 13/16”	Build Miter Box	
19260	–	7”	7”	35.3°	30.0°
23025	2”	3 1/4”	2 1/2”	31.6°	33.9°
23030	1 3/4”	2 15/16”	2 15/16”	35.3°	30.0°
23035	1 1/4”	3 1/4”	2 1/2”	31.6°	33.9°
23045	2 1/8”	3 1/4”	2 1/2”	31.6°	33.9°
23055	3 3/8”	4 1/2”	3 3/4”	32.7°	32.8°
23125	2”	3 1/4”	2 9/16”	32.1°	32.5°
23130	1 3/4”	3 1/4”	2 5/8”	32.8°	32.0°
23135	1 1/4”	3 1/4”	2 1/2”	31.2°	34.5°
23145	2 1/8”	3 1/4”	2 9/16”	32.1°	32.5°
23155	3 7/16”	4 1/2”	3 3/4”	32.8°	32.0°
23500	2 1/16”	4 1/2”	3 3/4”	32.7°	32.8°
23510	1 1/2”	4 1/2”	3 3/4”	32.7°	32.8°
23520	3/4”	4 1/2”	3 3/4”	32.7°	32.8°
23600	2 1/16”	4 1/2”	3 3/4”	32.8°	32.0°
23610	1 1/2”	4 1/2”	3 3/4”	32.6°	32.0°
23620	3/4”	4 1/2”	3 3/4”	32.7°	32.5°
23800	–	2 3/4”	2 3/16”	31.5°	33.9°
23900	–	3 1/4”	3 1/4”	35.5°	29.0°

* Indicates Moulding should be cut face down.